


smartSLIK

Model No: SBSLK005 Series

Card + Pin Based Terminal for Attendance & Access Management



Smartslik is card based contemporary mix of access and time attendance feature. Smartslik is sleek card + Pin based Device for small business & offices with Capacitive touch sense keypad

Features & Benefits :

- Sleek Design with 16 X 2 alphanumeric Display
- Capacitive touch keypad for user-friendly, easy to operate and configuration
- 2500 events & 500 Users.
- Unmatched performance with 32bit high speed Processor.
- WIFI available


TECHNICAL SPECIFICATIONS

Particulars	Description
Model No	STSLK005 Series
Application	Access & Attendance
CPU	32 Bit Arm Cortex Processor
Memory	64 KB Flash
Events/Transactions	2500
Users	500
Operation Modes	Card Only, Card+Pin, On Wiegand Card Only
Inbuilt Card Reader Options	EM Proximity Mifare/Smart Card HID iClass
Exit Port	Egress Switch for Exit
Wiegand In/Out	Available (26/32/34 Bit)
Communications Port	RS485, WIFI
Baud Rate	9600 bps (Default)
Input/Output	2 I/P (Door Status, Egress) & 1 O/P (Door Lock)
Controller ID	Up to 9999
Slave ID	1 - 128
Display	16 X 2 Alphanumeric Display
Keypad	4 X 3 Matrix Capacitive Touch Sense Keypad
LED	Tricolour LED Bar
Sound	Beep & Buzzer Sound
Power Supply	12 V DC/ 2A (Min)
Enclosure	ABS Material
Dimension (LxHxW) in mm	92 X 118 X 35.5
Mounting	Wall Mounting, Panel Mounting
Image Size Resolution	160 x 160 (pixel) 500 dpi
Facility Code	Available with Card Reader
Time Zone / Access Levels	63 + 1 (Free Time Zone) / Unlimited
Time Zone Slots	4 slots per Day
Holiday Settings	42
Certification	CE, ROHS

PRODUCT SELECTION GUIDE

Model No	Description
STSLK005-WIFI	smartslik Card + Pin Based terminal for attendance & Access with 500 users & 2.5K events with WIFI
STSLK00510 - WIFI	smartslik Card + Pin Based terminal for attendance & Access with 500 users & 2.5K events with RS485 & WIFI

TOPOLOGY



Note: Product images are for illustrative purposes only and may differ from the actual product. Some products may have an associated image or photo. These are for reference only and should be considered illustrative. Technical Specifications subject to change without any notice.

Smart-I Electronic Systems Pvt Ltd | Bhumi World Industrial Park | Building No D-7 | Unit No 250 to 253 | Pimpas, Bhiwandi | Thane - 421302, Maharashtra, INDIA

Copyright@Smart-I Electronic Systems Pvt. Ltd. All rights reserved. Technical Specifications, Model Number and Product availability subject to change without notice*.
 Connect with us Today - www.smartisystems.com or +91-8767-247-247 | +91- 02522-616500
 Email: enquiry@smartisystems.com | sales@smartisystems.com